

What is claimed is:

1. A smokable rod for a cigarette comprising:
 - 5 (a) a lighting end and a mouth end;
 - (b) an inner portion incorporating a smokable material composed predominantly of tobacco and aerosol forming material; the aerosol forming material in intimate contact with a processed tobacco material that is processed such that at least a portion of a solvent
10 soluble portion of the tobacco material is removed therefrom and such that the processed tobacco material is a substrate for the aerosol forming material; and
 - (c) an outer wrapping material circumscribing the inner portion.
- 15 2. The rod of Claim 1 having a cylindrical shape, the rod having a longitudinally extending outer surface, the outer wrapping material providing the longitudinally extending outer surface, and the lighting end and mouth end each being open to expose the inner portion.
- 20 3. The rod of Claim 1 or 2 having a mouth end piece attached to the mouth end thereof.
4. The rod of Claim 1 or 2 wherein the aerosol forming material includes
25 glycerin.
5. The rod of Claim 1 or 2 wherein the outer wrapping material is composed of paper.
- 30 6. The rod of Claim 1 or 2 wherein the outer wrapping material exhibits an inherent porosity of at least about 15 CORESTA units.

7. The rod of Claim 1 or 2 wherein essentially all of the smokable tobacco material is composed of tobacco in cut filler form.

5 8. The rod of Claim 1 or 2 wherein essentially all of the smokable tobacco material is composed of tobacco laminae, processed tobacco, or a blend thereof.

9. The rod of Claim 7 wherein at least a portion of the tobacco material is cased and/or top dressed.

10 10. The rod of Claim 8 wherein the processed tobacco is composed of essentially all tobacco.

11. The rod of Claim 1 or 2 wherein the aerosol forming material is present within the smokable rod in an amount of at least about 5 percent, based on the dry weight of the tobacco material and aerosol forming material within the smokable rod.

12. The rod of Claim 1 or 2 wherein the aerosol forming material is present within the smokable rod in an amount of at least about 10 percent, based on the dry weight of the tobacco material and aerosol forming material within the smokable rod.

13. The rod of Claim 1 or 2 wherein the aerosol forming material is present within the smokable rod in an amount of at least about 15 percent, based on the dry weight of the tobacco material and aerosol forming material within the smokable rod.

14. The rod of Claim 1 or 2 wherein the aerosol forming material is present within the smokable rod in an amount of at least about 20 percent, based on the dry weight of the tobacco material and aerosol forming material within the smokable rod.

15. The rod of Claim 1 or 2 further including aerosol forming material that has been applied to at least a portion of the smokable material in the form of a spray.

5 16. The rod of Claim 1 or 2 wherein a portion of the smokable material further includes a material composed primarily of aerosol forming material.

17. A smokable rod for a cigarette comprising:

- (a) a lighting end and a mouth end;
- 10 (b) smokable material composed primarily of tobacco material and aerosol forming material;
- (c) at least a portion of the tobacco material acting as a substrate for the aerosol forming material; and
- (e) a wrapping material circumscribing the smokable material, the
- 15 wrapping material having an inherent porosity of at least about 15 CORESTA units.

18. The rod of Claim 17 having a cylindrical shape, the rod having a longitudinally extending outer surface, the outer wrapping material providing the

20 longitudinally extending outer surface, and the lighting end and mouth end each being open to expose the inner portion.

19. The rod of Claim 17 or 18 having a mouth end piece attached to the mouth end thereof.

25 20. The rod of Claim 17 or 18 wherein the aerosol forming material includes glycerin.

21. The rod of Claim 17 or 18 wherein the outer wrapping material is composed

30 of paper.

22. The rod of Claim 17 or 18 wherein the outer wrapping material exhibits an inherent porosity of at least about 20 CORESTA units.

5 23. The rod of Claim 17 or 18 wherein essentially all of the smokable tobacco material is composed of tobacco in cut filler form.

24. The rod of Claim 17 or 18 wherein essentially all of the smokable tobacco material is composed of tobacco laminae, processed tobacco, or a blend thereof.

10 25. The rod of Claim 23 wherein at least a portion of the tobacco material is cased and/or top dressed.

26. The rod of Claim 24 wherein the processed tobacco is composed of essentially all tobacco.

15 27. The rod of Claim 17 or 18 wherein the aerosol forming material is present within the smokable rod in an amount of at least about 5 percent, based on the dry weight of the tobacco material and aerosol forming material within the smokable rod.

20 28. The rod of Claim 17 or 18 wherein the aerosol forming material is present within the smokable rod in an amount of at least about 10 percent, based on the dry weight of the tobacco material and aerosol forming material within the smokable rod.

25 29. The rod of Claim 17 or 18 wherein the aerosol forming material is present within the smokable rod in an amount of at least about 15 percent, based on the dry weight of the tobacco material and aerosol forming material within the smokable rod.

30

30. The rod of Claim 17 or 18 wherein the aerosol forming material is present within the smokable rod in an amount of at least about 20 percent, based on the dry weight of the tobacco material and aerosol forming material within the smokable rod.

5

31. The rod of Claim 17 or 18 including aerosol forming material that has been applied to at least a portion of the smokable material in the form of a spray.

10

32. The rod of Claim 17 or 18 wherein a portion of the smokable material includes a material composed primarily of aerosol forming material.